

# Probabilistic Robotics

## Sebastian Thrun-- Stanford

### **Introduction**

Probabilities

Bayes rule

Bayes filters

# Probabilistic Robotics

Key idea:

Explicit representation of uncertainty  
using the calculus of probability theory

- Perception = state estimation
- Action = utility optimization


# Axioms of Probability Theory

$\Pr(A)$  denotes probability that proposition  $A$  is true.

- $0 \leq \Pr(A) \leq 1$
- $\Pr(\textit{True}) = 1$                        $\Pr(\textit{False}) = 0$
- $\Pr(A \vee B) = \Pr(A) + \Pr(B) - \Pr(A \wedge B)$

# A Closer Look at Axiom 3

$$\Pr(A \vee B) = \Pr(A) + \Pr(B) - \Pr(A \wedge B)$$



# Using the Axioms

$$\Pr(A \vee \neg A) = \Pr(A) + \Pr(\neg A) - \Pr(A \wedge \neg A)$$

$$\Pr(\textit{True}) = \Pr(A) + \Pr(\neg A) - \Pr(\textit{False})$$

$$1 = \Pr(A) + \Pr(\neg A) - 0$$

$$\Pr(\neg A) = 1 - \Pr(A)$$

# Discrete Random Variables


- $X$  denotes a random variable.
- $X$  can take on a countable number of values in  $\{x_1, x_2, \dots, x_n\}$ .
- $P(X=x_i)$ , or  $P(x_i)$ , is the probability that the random variable  $X$  takes on value  $x_i$ .
- $P(\ )$  is called probability mass function.

# Continuous Random Variables

- $X$  takes on values in the continuum.
- $p(X=x)$ , or  $p(x)$ , is a probability density function.

$$\Pr(x \in (a, b)) = \int_a^b p(x) dx$$

- E.g.



# Joint and Conditional Probability

- $P(X=x \text{ and } Y=y) = P(x,y)$
- If  $X$  and  $Y$  are independent then
$$P(x,y) = P(x) P(y)$$
- $P(x / y)$  is the probability of  $x$  given  $y$ 
$$P(x / y) = P(x,y) / P(y)$$
$$P(x,y) = P(x / y) P(y)$$
- If  $X$  and  $Y$  are independent then
$$P(x / y) = P(x)$$



# Law of Total Probability, Marginals

## Discrete case

$$\sum_x P(x) = 1$$

$$P(x) = \sum_y P(x, y)$$

$$P(x) = \sum_y P(x | y) P(y)$$

## Continuous case

$$\int p(x) dx = 1$$

$$p(x) = \int p(x, y) dy$$

$$p(x) = \int p(x | y) p(y) dy$$

# Bayes Formula

$$P(x, y) = P(x | y)P(y) = P(y | x)P(x)$$

$\Rightarrow$

$$P(x | y) = \frac{P(y | x) P(x)}{P(y)} = \frac{\text{likelihood} \cdot \text{prior}}{\text{evidence}}$$

# Normalization

$$P(x \mid y) = \frac{P(y \mid x) P(x)}{P(y)} = \eta P(y \mid x) P(x)$$

$$\eta = P(y)^{-1} = \frac{1}{\sum_x P(y \mid x) P(x)}$$

Algorithm:

$$\forall x : \text{aux}_{x|y} = P(y \mid x) P(x)$$

$$\eta = \frac{1}{\sum_x \text{aux}_{x|y}}$$

$$\forall x : P(x \mid y) = \eta \text{aux}_{x|y}$$

# Conditioning

- Law of total probability:

$$P(x) = \int P(x, z) dz$$

$$P(x) = \int P(x | z) P(z) dz$$

$$P(x | y) = \int P(x | y, z) P(z | y) dz$$

# Bayes Rule with Background Knowledge

$$P(x \mid y, z) = \frac{P(y \mid x, z) P(x \mid z)}{P(y \mid z)}$$

# Conditioning

- Total probability:

$$P(x) = \int P(x, z) dz$$

$$P(x) = \int P(x | z) P(z) dz$$

$$P(x | y) = \int P(x | y, z) P(z) dz$$

# Conditional Independence

$$P(x, y \mid z) = P(x \mid z)P(y \mid z)$$

equivalent to


$$P(x \mid z) = P(x \mid z, y)$$

and

$$P(y \mid z) = P(y \mid z, x)$$

# Simple Example of State Estimation

- Suppose a robot obtains measurement  $z$
- What is  $P(open/z)$ ?





# Causal vs. Diagnostic Reasoning

- $P(open/z)$  is diagnostic.
- $P(z/open)$  is causal.
- Often causal knowledge is easier to obtain. **count frequencies!**
- Bayes rule allows us to use causal knowledge:

$$P(open | z) = \frac{P(z | open)P(open)}{P(z)}$$

# Example

- $P(z/open) = 0.6$        $P(z/\neg open) = 0.3$
- $P(open) = P(\neg open) = 0.5$

$$P(open | z) = \frac{P(z | open)P(open)}{P(z | open)p(open) + P(z | \neg open)p(\neg open)}$$

$$P(open | z) = \frac{0.6 \cdot 0.5}{0.6 \cdot 0.5 + 0.3 \cdot 0.5} = \frac{2}{3} = 0.67$$

- $z$  raises the probability that the door is open.

# Combining Evidence

- Suppose our robot obtains another observation  $z_2$ .
- How can we integrate this new information?
- More generally, how can we estimate  $P(x / z_1 \dots z_n)$ ?

# Recursive Bayesian Updating

$$P(x \mid z_1, \dots, z_n) = \frac{P(z_n \mid x, z_1, \dots, z_{n-1}) P(x \mid z_1, \dots, z_{n-1})}{P(z_n \mid z_1, \dots, z_{n-1})}$$

**Markov assumption:**  $z_n$  is independent of  $z_1, \dots, z_{n-1}$  if we know  $x$ .

$$\begin{aligned} P(x \mid z_1, \dots, z_n) &= \frac{P(z_n \mid x) P(x \mid z_1, \dots, z_{n-1})}{P(z_n \mid z_1, \dots, z_{n-1})} \\ &= \eta P(z_n \mid x) P(x \mid z_1, \dots, z_{n-1}) \\ &= \eta_{1\dots n} \prod_{i=1\dots n} P(z_i \mid x) P(x) \end{aligned}$$

## Example: Second Measurement

- $P(z_2/open) = 0.5$        $P(z_2/\neg open) = 0.6$
- $P(open/z_1) = 2/3$

$$\begin{aligned} P(open | z_2, z_1) &= \frac{P(z_2 | open) P(open | z_1)}{P(z_2 | open) P(open | z_1) + P(z_2 | \neg open) P(\neg open | z_1)} \\ &= \frac{\frac{1}{2} \cdot \frac{2}{3}}{\frac{1}{2} \cdot \frac{2}{3} + \frac{3}{5} \cdot \frac{1}{3}} = \frac{5}{8} = 0.625 \end{aligned}$$

- $z_2$  lowers the probability that the door is open.

# Actions

- Often the world is **dynamic** since
  - **actions carried out by the robot,**
  - **actions carried out by other agents,**
  - or just the **time** passing bychange the world.
- How can we **incorporate** such **actions**?

# Typical Actions

- The robot **turns its wheels** to move
- The robot **uses its manipulator** to grasp an object
- Plants grow over **time**...
  
- Actions are **never carried out with absolute certainty**.
- In contrast to measurements, **actions generally increase the uncertainty**.

# Modeling Actions


- To incorporate the outcome of an action  $u$  into the current “belief”, we use the conditional pdf

$$P(x/u, x')$$

- This term specifies the pdf that **executing  $u$  changes the state from  $x'$  to  $x$ .**




# Example: Closing the door



# State Transitions

$P(x/u, x')$  for  $u = \text{"close door"}:$



If the door is open, the action "close door" succeeds in 90% of all cases.

# Integrating the Outcome of Actions

Continuous case:

$$P(x | u) = \int P(x | u, x') P(x') dx'$$

Discrete case:

$$P(x | u) = \sum P(x | u, x') P(x')$$

## Example: The Resulting Belief

$$\begin{aligned}P(\textit{closed} \mid u) &= \sum P(\textit{closed} \mid u, x')P(x') \\&= P(\textit{closed} \mid u, \textit{open})P(\textit{open}) \\&\quad + P(\textit{closed} \mid u, \textit{closed})P(\textit{closed}) \\&= \frac{9}{10} * \frac{5}{8} + \frac{1}{1} * \frac{3}{8} = \frac{15}{16}\end{aligned}$$

$$\begin{aligned}P(\textit{open} \mid u) &= \sum P(\textit{open} \mid u, x')P(x') \\&= P(\textit{open} \mid u, \textit{open})P(\textit{open}) \\&\quad + P(\textit{open} \mid u, \textit{closed})P(\textit{closed}) \\&= \frac{1}{10} * \frac{5}{8} + \frac{0}{1} * \frac{3}{8} = \frac{1}{16} \\&= 1 - P(\textit{closed} \mid u)\end{aligned}$$

# Bayes Filters: Framework

- **Given:**

- Stream of observations  $z$  and action data  $u$ :

$$d_t = \{u_1, z_1 \dots, u_t, z_t\}$$


- Sensor model  $P(z/x)$ .
- Action model  $P(x/u, x')$ .
- Prior probability of the system state  $P(x)$ .

- **Wanted:**

- Estimate of the state  $X$  of a dynamical system.
- The posterior of the state is also called **Belief**:

$$Bel(x_t) = P(x_t \mid u_1, z_1 \dots, u_t, z_t)$$

# Markov Assumption



$$p(z_t \mid x_{0:t}, z_{1:t}, u_{1:t}) = p(z_t \mid x_t)$$

$$p(x_t \mid x_{1:t-1}, z_{1:t}, u_{1:t}) = p(x_t \mid x_{t-1}, u_t)$$

## Underlying Assumptions

- Static world
- Independent noise
- Perfect model, no approximation errors

$z$  = observation  
 $u$  = action  
 $x$  = state

# Bayes Filters

$$\boxed{Bel(x_t)} = P(x_t \mid u_1, z_1, \dots, u_t, z_t)$$

**Bayes**  $= \eta P(z_t \mid x_t, u_1, z_1, \dots, u_t) P(x_t \mid u_1, z_1, \dots, u_t)$

**Markov**  $= \eta P(z_t \mid x_t) P(x_t \mid u_1, z_1, \dots, u_t)$

**Total prob.**  $= \eta P(z_t \mid x_t) \int P(x_t \mid u_1, z_1, \dots, u_t, x_{t-1})$   
 $P(x_{t-1} \mid u_1, z_1, \dots, u_t) dx_{t-1}$

**Markov**  $= \eta P(z_t \mid x_t) \int P(x_t \mid u_t, x_{t-1}) P(x_{t-1} \mid u_1, z_1, \dots, u_t) dx_{t-1}$

**Markov**  $= \eta P(z_t \mid x_t) \int P(x_t \mid u_t, x_{t-1}) P(x_{t-1} \mid u_1, z_1, \dots, z_{t-1}) dx_{t-1}$

$$\boxed{= \eta P(z_t \mid x_t) \int P(x_t \mid u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}}$$

$$Bel(x_t) = \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$

1. Algorithm **Bayes\_filter**(  $Bel(x), d$  ):
2.  $\eta = 0$
3. If  $d$  is a **perceptual** data item  $z$  then
4.     For all  $x$  do
5.          $Bel'(x) = P(z | x) Bel(x)$
6.          $\eta = \eta + Bel'(x)$
7.     For all  $x$  do
8.          $Bel'(x) = \eta^{-1} Bel'(x)$
9. Else if  $d$  is an **action** data item  $u$  then
10.     For all  $x$  do
11.          $Bel'(x) = \int P(x | u, x') Bel(x') dx'$
12. Return  $Bel'(x)$



# Bayes Filters are Familiar!

$$Bel(x_t) = \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$

- Kalman filters
- Particle filters
- Hidden Markov models
- Dynamic Bayesian networks
- Partially Observable Markov Decision Processes (POMDPs)

# Summary

- Bayes rule allows us to compute probabilities that are hard to assess otherwise.
- Under the Markov assumption, recursive Bayesian updating can be used to efficiently combine evidence.
- Bayes filters are a probabilistic tool for estimating the state of dynamic systems.